

9 Various furniture fittings

Fasteners, shelf supports, spring mounting, glass rests, stacking glides, shoe cabinet fittings, self-adhesive felts - dampers - covers. Bearing blocks for tables with accessories. Excenters.



BTW
Page: 2



FHO
Page: 3



Y
Page: 4



YG1
Page: 5



BSK
Page: 6



DOROBUMP
Page: 7



QF
Page: 9



UP
Page: 11



YP
Page: 12



BLN
Page: 13



PTC
Page: 14




SBN
Page: 15



SPK
Page: 16



TLB 1
Page: 17



TLB 2
Page: 18



TLB 3
Page: 19



TLB 4
Page: 20



TLB 5
Page: 21



RV
Page: 22




RV 1
Page: 23

Shelf supports

Application: supports for shelves / spring mounting
Material: polyamide
Standard-Colour: black

BTW



Order No.	Peg Ø	Colour	PU*	MOQ**
	D			
13533.00	5,0	black	5000	5000
13534.00	6,0	black	5000	5000
13535.00	7,0	black	5000	5000
13536.00	8,0	black	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.


*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Spring mounting

Application: supports for shelves / spring mounting
Material: polypropylene
Standard-Colour: white



Order No.	Width	Height	Slot	Total length	Loop	Colour	PU*	MOQ**
	B	H	F	L	b			
16019.00	11,8	20,0	1,8	33,7	4,0	white	4000	4000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Stacking glides

Y

Application: stacking glides
 Additional Info: Attention! Please consider that not all glides have the same clamping ribs form
 Material: polyethylene
 Standard-Colour: black



Order No.	Head Ø	Thickness	Pin Ø	Length	Slot Ø	Slot width	Cone Ø	Cone Ø	Colour	PU*	MOQ**
	D	S	d	L	d1	S1	d2	d3			
13739.01	14,0	3,0	7,8	8,5	-	-	-	-	black	5000	5000
13736.00	12,0	3,0	5,8	7,0	-	-	-	-	black	1000	-
13738.01	13,0	5,2	-	5,0	5,4	2,0	7,5	5,5	black	5000	-
13737.00	13,1	4,5	-	5,5	7,0	2,0	9,3	5,3	black	1000	-

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Glass rests

Application: glass rests
Material: polyvinyl chloride
Standard-Colour: uncoloured

YG1



Order No.	Head \varnothing	Thickness	Pin \varnothing	Length	Colour	PU*	MOQ**
	D	S	d	L			
13771.01	8,0	2,5	4,0	6,0	nature	1000	-
13772.01	14,0	3,0	8,0	7,0	nature	1000	-

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Self adhesive covers for drill holes

BSK

Application: self adhesive felts / damper / covers
Material: ABS
Standard-Colour: white, grey, black, ash, pine, oak, beech, walnut, cherry, mahogany



Order No.	Ø	Height	Colour	PU*	MOQ**
17627.00	13	0,45	black	2000	10000
17627.02	13	0,45	grey	2000	10000
17627.03	13	0,45	white	2000	10000
17627.04	13	0,45	silver	2000	10000
17627.06	13	0,45	pine	2000	10000
17627.07	13	0,45	oak	2000	10000
17627.08	13	0,45	beech	2000	10000
17627.09	13	0,45	walnut	2000	10000
17627.10	13	0,45	cherry	2000	10000
17627.11	13	0,45	mahagoni	2000	10000
17627.12	13	0,45	ash	2000	10000
17628.00	20	0,45	black	900	9000
17628.01	20	0,45	grey	900	9000
17628.02	20	0,45	white	900	9000
17628.03	20	0,45	silver	900	9000
17628.04	20	0,45	pine	900	9000
17628.05	20	0,45	oak	900	9000
17628.06	20	0,45	beech	900	9000
17628.07	20	0,45	walnut	900	9000
17628.08	20	0,45	cherry	900	9000
17628.09	20	0,45	mahagoni	900	9000
17628.10	20	0,45	ash	900	9000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Universal, elastic pads (self adhesive glass rests)

Application: self adhesive felts / damper / covers
Material: polyurethane
Standard-Colour: uncoloured, black

DOROBUMP



Order No.	Ø	Height	Note	Colour	PU*	MOQ**
17372.00	6,40	1,90	rund	nature	561	5049
17373.00	8,00	2,20	rund	black	480	14400
17373.01	8,00	2,20	rund	nature	392	5096
17380.00	7,90	2,50	rund	black	10192	10192
17380.01	7,90	2,50	rund	nature	10192	10192
17374.00	10,00	3,10	rund	black	10080	10080
17374.01	10,00	3,10	rund	nature	10080	10080
17382.00	11,10	5,00	rund	black	5082	5082
17382.01	11,10	5,00	rund	nature	5082	5082
17388.00	16,00	7,90	rund	black	3072	3072
17388.01	16,00	7,90	rund	nature	128	1024
17389.00	19,00	9,50	rund	black	2058	2058
17389.01	19,00	9,50	rund	nature	2058	2058
17379.00	7,50	3,00	rund	black	10080	10080
17379.01	7,50	3,00	rund	nature	288	4032
17383.00	10,10	1,80	rund	black	10080	10080
17383.01	10,10	1,80	rund	nature	10080	10080
17384.00	12,70	1,80	rund	black	10000	10000
17384.01	12,70	1,80	rund	nature	10000	10000
17385.01	12,70	3,50	rund	nature	200	5000
17375.00	14,00	4,50	rund	black	5120	5120
17375.01	14,00	4,50	rund	nature	5120	5120
17390.00	19,00	1,90	rund	black	98	2548
17390.01	19,00	1,90	rund	nature	98	2548
17381.00	10,00 x 10,00	2,50	eckig	black	10164	10164
17381.01	10,00 x 10,00	2,50	eckig	nature	242	5082
17387.00	12,70 x 12,70	3,10	eckig	black	10000	10000
17387.01	12,70 x 12,70	3,10	eckig	nature	10000	10000
17386.00	12,60 x 12,60	5,70	eckig	black	200	2000
17386.01	12,60 x 12,60	5,70	eckig	nature	200	2000
17392.00	20,50 x 20,50	7,50	eckig	black	78	2028

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Universal, elastic pads (self adhesive glass rests)

Application: self adhesive felts / damper / covers
Material: polyurethane
Standard-Colour: uncoloured, black

DOROBUMP



Order No.	Ø	Height	Note	Colour	PU*	MOQ**
17392.01	20,50 x 20,50	7,50	eckig	nature	78	2028
17391.00	19,70	3,00	rund	black	5040	5040
17391.01	19,70	3,00	rund	nature	84	2520
17378.00	19,00	4,00	rund	black	1008	1008
17378.01	19,00	4,00	rund	nature	1008	1008
17376.00	19,00	6,00	rund	black	84	1008
17376.01	19,00	6,00	rund	nature	84	1008
17377.00	20,00	6,20	rund	black	2016	2016
17377.01	20,00	6,20	rund	nature	2016	2016
17393.00	22,30	10,10	rund	black	1008	1008
17393.01	22,30	10,10	rund	nature	1008	1008

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Self adhesive felts

QF

Application: self adhesive felts / damper / covers
Material: felt
Standard-Colour: white, brown



Order No.	Dimension mm	Height	Pieces per sheet	Colour	PU*	MOQ**
17629.00	Ø 10	1,5	108	white	5076	10152
17629.01	Ø 10	1,5	108	brown	5076	10152
17630.00	Ø 14	3,5	60	white	1500	7500
17630.01	Ø 14	3,5	60	brown	1500	7500
17631.00	Ø 16	3,5	50	white	1000	5000
17631.01	Ø 16	3,5	50	brown	1000	5000
17632.00	Ø 18	3,5	40	white	1000	5000
17632.01	Ø 18	3,5	40	brown	1000	5000
17633.01	Ø 20	3,5	50	white	1000	5000
17633.02	Ø 20	3,5	50	brown	1000	5000
17634.00	Ø 22	3,5	50	white	1000	5000
17634.01	Ø 22	3,5	50	brown	1000	5000
17635.00	Ø 24	3,5	36	white	1008	5040
17635.01	Ø 24	3,5	36	brown	1008	5040
17636.00	Ø 26	3,5	32	white	1024	5120
17636.01	Ø 26	3,5	32	brown	1024	5120
17637.00	Ø 28	3,5	24	white	1008	4032
17637.01	Ø 28	3,5	24	brown	1008	4032
17638.01	Ø 30	3,5	21	white	1008	4032
17638.02	Ø 30	3,5	21	brown	1008	4032
17639.00	Ø 32	3,5	14	white	700	2800
17639.01	Ø 32	3,5	14	brown	700	2800
17640.00	Ø 36	3,5	18	white	504	2016
17640.01	Ø 36	3,5	18	brown	504	2016
17641.00	Ø 40	3,5	12	white	504	5040
17641.01	Ø 40	3,5	12	brown	504	5040
17642.00	Ø 45	3,5	10	white	500	2000
17642.01	Ø 45	3,5	10	brown	500	2000
17643.00	Ø 50	3,5	8	white	400	1600
17643.01	Ø 50	3,5	8	brown	400	1600
17644.00	Ø 60	3,5	8	white	400	1600

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Self adhesive felts

QF

Application: self adhesive felts / damper / covers
Material: felt
Standard-Colour: white, brown



Order No.	Dimension mm	Height	Pieces per sheet	Colour	PU*	MOQ**
17644.01	∅ 60	3,5	8	brown	400	1600
17646.00	20 x 20	3,5	50	white	1000	5000
17646.01	20 x 20	3,5	50	brown	1000	5000
17647.00	25 x 25	3,5	32	white	1024	5120
17647.01	25 x 25	3,5	32	brown	1024	5120
17649.00	30 x 30	3,5	21	white	1008	4032
17649.01	30 x 30	3,5	21	brown	1008	4032
17650.00	34 x 34	3,5	12	white	504	2016
17650.01	34 x 34	3,5	12	brown	504	2016
17653.00	40 x 40	3,5	12	white	504	2016
17653.01	40 x 40	3,5	12	brown	504	2016
17654.00	45 x 45	3,5	10	white	500	2000
17654.01	45 x 45	3,5	10	brown	500	2000
17656.00	50 x 50	3,5	8	white	400	1600
17656.01	50 x 50	3,5	8	brown	400	1600
17648.00	30 x 20	3,5	28	white	1008	5040
17648.01	30 x 20	3,5	28	brown	1008	5040
17651.00	35 x 25	3,5	20	white	1008	4032
17651.01	35 x 25	3,5	20	brown	1008	4032
17652.00	40 x 20	3,5	36	white	1000	1000
17652.01	40 x 20	3,5	36	brown	1000	1000
17655.00	50 x 25	3,5	18	white	900	3600
17655.01	50 x 25	3,5	18	brown	900	3600

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Self adhesive universal pads

Application: self adhesive felts / damper / covers
Material: EVA
Standard-Colour: transparent

UP



Order No.	Diameter	Height	Pieces per sheet	Colour	PU*	MOQ**
17395.00	7	1,5	100	transparent	1000	10000
17396.00	8	1,6	100	transparent	100	10000
17397.00	10	1,5	100	transparent	1000	10000
17398.00	10	3,0	100	transparent	1000	10000
17399.00	13 (konisch / conical)	4,0	80	transparent	4000	8000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Self adhesive anti-slip pads

Application: self adhesive felts / damper / covers
Material: EPDM
Standard-Colour: white, black

YP



Order No.	Dimension	Height	Pieces per sheet	Colour	PU*	MOQ**
17658.00	Ø 20	2,5	50	black	1000	5000
17658.01	Ø 20	2,5	50	white	1000	5000
17659.00	Ø 40	2,5	12	black	504	2520
17659.01	Ø 40	2,5	12	white	504	2520
17661.00	30 x 30	2,5	21	black	1008	5040
17661.01	30 x 30	2,5	21	white	1008	5040

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Blind rivets

Application: fasteners
 Additional Info: simple finger pressure mounting,
 releasable
 Material: polyamide 6.6
 Standard-Colour: black

BLN



Order No.	Mounting hole \varnothing	Clamping range	Shaft length	Head height	Head \varnothing	Colour	PU*	MOQ**
			A	B	C			
12407.00	4,1	5,5-6,5	8,0	1,8	8,0	black	1000	1000
17569.00	2,7	1,8-2,6	4,0	1,4	5,0	black	1000	-
17570.00	3,1	2,0-3,0	4,5	1,6	6,4	black	1000	-
17571.00	3,1	4,0-5,0	6,5	1,6	6,4	black	5000	-
17572.00	4,1	2,5-3,5	5,0	1,8	8,0	black	1000	-
17573.00	4,1	3,5-4,5	6,0	1,8	8,0	black	500	-
17574.00	4,1	4,5-5,5	7,0	1,8	8,0	black	5000	-
17575.00	5,1	1,5-2,5	4,5	2,2	9,0	black	5000	-
17576.00	5,1	3,5-4,5	6,5	2,2	9,0	black	4000	-
17577.00	5,1	4,5-5,5	7,5	2,2	9,0	black	1000	-
17578.00	5,1	5,5-6,5	8,5	2,2	9,0	black	2000	-
17579.00	5,1	7,5-8,5	10,5	2,2	9,0	black	3000	3000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Pine-tree clips

Application: fasteners
 Additional Info: self-centering fastener for unthreaded holes and blind holes, simple finger pressure mounting
 Material: polyamide 6.6
 Standard-Colour: black

PTC



Order No.	Mounting hole \varnothing	Clamping range	Head \varnothing	Length tip	Shaft length ripped section	Head height	Special features	Head shape	Colour	PU*	MOQ**
			A	B	C						
17466.00	3,0	4,0-12,0	5,5	2,3	14,5	1,5	-	2	black	18000	-
17467.00	5,0	1,7-8,0	11,0	3,4	9,2	1,0	-	2	black	2000	2000
17469.00	6,4	3,6-10,0	15,9	2,0	14,5	1,5	-	1	black	8000	8000
17470.00	7,0	3,5-20,0	19,0	4,5	22,9	1,5	-	1	black	500	500
17472.00	5,0	1,6-6,4	10,0	3,7	8,3	1,0	n. w.	1	black	12000	12000
17474.00	10,0	1,5-20,0	21,5	5,7	22,6	4,0	n. w.	1	black	1000	1000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



Screw type blind rivets

Application: fasteners
 Additional Info: for bonding metal, wood or plastic,
 assembly by pressure on the rivet head,
 disassembly with screwdriver
 Material: polyoxymethylene
 Standard-Colour: black

SBN


Order No.	Mounting hole \varnothing	Clamping range	Pin head height	Flange \varnothing	Flange height	Shaft length	Colour	PU*	MOQ**
			A	B	C	D			
17475.00	4,5-4,8	8,4 -9,9	0,0	9,7	1,5	18,3	black	6500	6500
17476.00	5,8-6,1	3,0-5,0	2,5	11,0	1,5	17,5	black	1000	1000
17477.00	6,3-6,8	2,5-8,0	0,8	17,8	2,8	22,8	black	3500	3500
17478.00	6,3-6,8	2,5-8,5	0,8	15,5	3,0	22,8	black	4500	4500
17479.00	8,0-8,5	3,5-8,5	0,8	15,0	3,0	20,0	black	4500	4500

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.
 We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.



Arrow clips

Application: fasteners
 Additional Info: simple finger pressure mounting,
 reuseable
 Material: polyamide 6.6
 Standard-Colour: uncoloured

SPK


Order No.	Mounting hole Ø	Clamping range	Shaft length	Head height	Head Ø	Shaft width	Colour	PU*	MOQ**
			A	B	C	D			
17400.00	4,6-4,9	1,6-3,2	10,7	1,5	9,4	5,7	nature	1000	-
17401.00	3,3-3,4	1,6-3,2	9,9	1,5	7,1	4,1	nature	20000	-
17402.00	3,8-4,1	1,6-3,7	10,2	1,5	7,1	4,6	nature	2000	-
17403.00	5,4-5,6	3,2-4,7	13,7	1,5	9,4	6,3	nature	10000	-
17404.00	5,4-5,6	1,6-3,2	11,4	1,5	9,4	5,7	nature	1000	-
17405.00	6,4-6,6	3,2-4,7	14,6	1,5	12,3	7,4	nature	1000	-
17406.00	4,6-4,9	4,2-4,7	13,2	1,5	9,4	5,2	nature	1000	-
17407.00	3,3-3,4	3,2-3,6	8,1	1,5	7,1	4,1	nature	1000	-
17408.00	3,7	7,4-7,6	13,5	1,5	7,1	5,0	nature	1000	-
17410.00	6,4-6,6	9,1-9,7	20,6	1,7	15,5	6,2	nature	500	-
17411.00	8,4-8,5	1,6-8,6	22,9	1,8	17,3	9,5	nature	3000	-

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



** MOQ: Parts with MOQ, set-up costs may apply.

! We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery.
 We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Table bearing mountings

Application: bearing blocks
Material: PP
Standard-Colour: black, grey brown similar to RAL 8019

TLB 1



Order No.	Height	Height	Hole Ø	Width	Spacing	Length	Colour	PU*	MOQ**
	H	H1							
13859.00	74	27	30	50	64 / 32	80	black	250	-
13859.01	74	27	30	50	64 / 32	80	brown	250	-
13860.00	74	47	30	50	64 / 32	80	black	250	-
13860.01	74	47	30	50	64 / 32	80	brown	250	250
13863.00	56	27	30	50	64 / 32	80	black	250	-
13863.01	56	27	30	50	64 / 32	80	brown	250	-

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Half-shell table bearing mountings

TLB 2

Application: bearing blocks
Material: PA
Standard-Colour: black, grey brown similar to RAL 8019



Order No.	Height	Spacing	Ø	Length	Width	Colour	PU*	MOQ**
	H	A1 / A2	D	L	B			
13855.00	27	64 / 32	30	80	50	black	500	500
13855.01	27	64 / 32	30	80	50	brown	500	-
13856.00	47	64 / 32	30	80	50	black	250	-
13856.01	47	64 / 32	30	80	50	brown	250	-

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Stacking pads for table bearing mountings

Application: bearing blocks
Material: PE
Standard-Colour: uncoloured, black

TLB 3



Order No.	Length L	Width B	Height H	Colour	PU*	MOQ**
13857.02	42	22	7	nature	1000	-
13857.00	42	22	7	black	250	3000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Adapters for table bearing mountings

Application: bearing blocks
Material: PE
Standard-Colour: black, grey brown similar to RAL 8019

TLB 4



Order No.	Length L	Width B	Height H	Colour	PU*	MOQ**
13858.01	48	28	10	black	250	-
13858.02	48	28	10	brown	2000	2000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Retaining clips for table bearing mountings

TLB 5

Application: bearing blocks
Material: PA
Standard-Colour: black, grey brown similar to RAL 8019



Order No.	For tube Ø	Length	Width	Height	Hole spacing	Colour	PU*	MOQ**
	D	L	W	H	A			
13861.01	30	72	14	27	60	black	250	-
13861.02	30	72	14	27	60	brown	1000	1000
13862.00	30	72	14	54	60	black	250	-
13862.01	30	72	14	54	60	brown	250	500

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Row connectors

Application: row connectors
Material: PP
Standard-Colour: black

RV



Order No.	For tube outside Ø	Spacing	Height	Colour	PU*	MOQ**
		A	H			
13834.00	18	60	30	black	200	400
13835.00	18	80	30	black	200	400
13830.00	18	100	30	black	200	300
13831.00	18	120	30	black	100	300
13832.00	18	140	30	black	100	300
13833.00	18	160	30	black	100	300
13840.01	20	60	30	black	200	-
13841.00	20	80	30	black	200	-
13836.00	20	100	30	black	200	400
13837.00	20	120	30	black	200	400
13838.00	20	140	30	black	200	400
13839.00	20	160	30	black	200	400
13846.00	22	60	30	black	200	400
13847.00	22	80	30	black	200	400
13842.00	22	100	30	black	200	400
13843.00	22	120	30	black	200	400
13844.00	22	140	30	black	200	400
13845.00	22	160	30	black	200	400
13852.00	25	60	30	black	200	400
13853.00	25	80	30	black	200	400
13848.00	25	100	30	black	200	400
13849.00	25	120	30	black	200	400
13850.00	25	140	30	black	200	-
13851.00	25	160	30	black	200	400

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Marking clip

Application: row connectors
Material: PP
Standard-Colour: translucent

RV 1



Order No.	Width	Height H	Depth	Labeling text field	Colour	PU*	MOQ**
13829.00	47	42	10	38,1 x 25,4	translucent	500	500

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.