

3

Covers

Covers for drill holes, bolts and screws, nuts, and other applications



LK
Page: 2



LKF
Page: 3



AST
Page: 5



B
Page: 6



BST
Page: 12



EST
Page: 13



MAS
Page: 14



UAK
Page: 15



BI
Page: 16



BK
Page: 18



BKP
Page: 20



BS 1
Page: 22



BS 2
Page: 23



BT
Page: 24



BZK
Page: 25



SKEC
Page: 26

Collars

Application: collars
Material: polyethylene
Standard-Colour: black



Order No.	Article	Outside dimension	Height	Cut-out	Colour	PU*	MOQ**
13801.00	LK 2	Ø 50	9,0	Ø 12	black	1000	1000
13801.02	LK 2	Ø 50	9,0	Ø 16	black	1000	1000
13801.03	LK 2	Ø 50	9,0	Ø 20	black	1000	1000
13801.04	LK 2	Ø 50	9,0	Ø 22	black	1000	1000
13802.00	LK 4	Ø 45	10,0	Ø 12	black	1000	1000
13802.01	LK 4	Ø 45	10,0	Ø 15	black	1000	1000
13802.02	LK 4	Ø 45	10,0	Ø 16	black	1000	1000
13802.03	LK 4	Ø 45	10,0	Ø 17	black	1000	1000
13802.04	LK 4	Ø 45	10,0	Ø 18	black	1000	1000
13803.00	LK 9	80 x 80	18,0	30 x 30	black	500	1000
13803.01	LK 9	80 x 80	18,0	40 x 40	black	500	1000
13803.02	LK 9	80 x 80	18,0	45 x 45	black	500	1000
13803.03	LK 9	80 x 80	18,0	50 x 50	black	500	1000
13805.00	LK 18	Ø 90	11,0	Ø 34	black	500	1000
13805.01	LK 18	Ø 90	11,0	Ø 40	black	1000	1000
13805.02	LK 18	Ø 90	11,0	Ø 42	black	1000	1000
13805.03	LK 18	Ø 90	11,0	Ø 43	black	1000	1000
13805.04	LK 18	Ø 90	11,0	Ø 48	black	1000	1000
13805.05	LK 18	Ø 90	11,0	Ø 50	black	1000	1000
13805.06	LK 18	Ø 90	11,0	Ø 60	black	1000	1000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Cover collars

LKF

Application: collars
Material: polyethylene
Standard-Colour: black, white



Order No.	Outside Ø D	Inside Ø d	Inside Ø d in inch	Height H	Colour	PU*	MOQ**
13809.00	37,8	8,5	-	6,0	black	50	800
13809.01	37,8	8,5	-	6,0	white	50	800
13810.00	38,7	10,5	1/8	6,0	black	50	800
13810.01	38,7	10,5	1/8	6,0	white	50	800
13811.00	41,0	12,5	-	6,0	black	50	800
13811.01	41,0	12,5	-	6,0	white	50	800
13812.00	42,5	14,5	1/4	7,0	black	50	700
13812.01	42,5	14,5	1/4	7,0	white	50	700
13813.00	45,0	15,5	-	6,0	black	50	700
13813.01	45,0	15,5	-	6,0	white	50	700
13814.00	50,0	16,5	-	7,0	black	50	700
13814.01	50,0	16,5	-	7,0	white	50	700
13815.00	50,0	17,5	3/8	7,0	black	50	700
13815.01	50,0	17,5	3/8	7,0	white	50	700
13816.00	50,0	18,5	-	7,0	black	50	700
13816.01	50,0	18,5	-	7,0	white	50	700
13817.00	54,0	20,5	-	7,0	black	50	700
13817.01	54,0	20,5	-	7,0	white	50	700
13818.00	55,0	21,5	1/2	7,0	black	50	700
13818.02	55,0	21,5	1/2	7,0	white	50	700
13819.00	56,0	22,5	-	7,0	black	50	700
13819.01	56,0	22,5	-	7,0	white	50	700
13820.00	61,0	24,5	-	7,0	black	50	700
13820.01	61,0	24,5	-	7,0	white	50	700
13821.00	61,0	25,5	-	7,0	black	50	700
13821.01	61,0	25,5	-	7,0	white	50	700
13822.00	63,0	27,5	3/4	7,0	black	50	700
13822.02	63,0	27,5	3/4	7,0	white	50	700
13823.00	62,0	28,5	-	7,0	black	50	700
13823.01	62,0	28,5	-	7,0	white	50	700
13824.00	61,0	30,5	-	8,5	black	50	700

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Cover collars

Application: collars
Material: polyethylene
Standard-Colour: black, white

LKF



Order No.	Outside Ø	Inside Ø	Inside Ø	Height	Colour	PU*	MOQ**
	D	d	d in inch	H			
13824.02	61,0	30,5		8,5	white	50	700
13825.01	70,0	34,5	1	7,0	black	50	700
13825.02	70,0	34,5	1	7,0	white	50	700
13826.01	76,5	42,5	1 1/4	7,0	white	25	700
13826.00	76,5	42,5	1 1/4	7,0	black	25	700
13827.00	88,0	48,5	1 1/2	7,0	black	25	300
13827.01	88,0	48,5	1 1/2	7,0	white	25	300
13828.00	99,5	60,5	2	7,0	black	25	300
13828.01	99,5	60,5	2	7,0	white	25	300

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Cover plugs

AST

Application: for drill holes
 Additional Info: not removable, UL and CSA approved,
 Flammability UL 94 V-2
 Material: polyamide
 Standard-Colour: black



Order No.	Mounting hole \varnothing	Max. wall thickness	Head \varnothing		Total height		Colour	PU*	MOQ**
			A	B	B	C			
17447.00	4,7	1,6	6,4	5,9	1,1	black	20000	-	
12401.00	17,4	3,2	19,8	10,3	1,6	black	2200	2200	
17448.00	6,4	1,6	7,9	7,9	1,6	black	5000	5000	
17449.00	7,9	1,6	9,5	7,9	1,6	black	1000	-	
17451.00	9,5	3,2	11,9	10,3	1,6	black	5000	-	
17452.00	11,1	3,2	13,5	10,3	1,6	black	2000	-	
17454.00	12,7	3,2	14,7	10,3	1,6	black	2000	-	
17456.00	14,3	3,2	16,7	10,3	1,6	black	5000	-	
17458.00	15,9	3,2	18,2	10,3	1,6	black	2000	-	
17459.00	17,4	3,2	19,8	10,3	1,6	black	2000	-	
17462.00	19,1	3,2	23,4	10,3	1,6	black	2000	-	
17463.00	20,6	3,2	25,1	10,3	1,6	black	5000	-	
17480.00	22,2	3,2	25,8	11,5	1,6	black	1000	-	
17482.00	25,4	3,2	30,6	11,5	1,6	black	7000	-	
17483.00	28,0	3,2	30,9	11,5	1,6	black	4000	-	
17484.00	30,1	3,2	33,3	11,5	1,6	black	5000	-	
17485.00	31,8	3,2	34,9	11,5	1,6	black	1000	-	
17487.00	34,9	3,2	38,1	11,5	1,6	black	2500	-	
17489.00	38,1	3,2	42,4	11,5	1,6	black	10000	-	
17491.00	44,5	3,2	48,4	11,5	1,6	black	2500	-	
17493.00	50,8	3,2	55,1	12,2	2,3	black	1000	-	
17439.00	57,2	6,4	61,5	19,1	2,8	black	500	-	
17495.00	63,5	6,4	69,0	19,1	2,8	black	450	-	
17440.00	76,2	6,4	80,5	19,1	2,8	black	300	-	
17443.00	85,7	6,4	92,9	19,1	2,8	black	100	-	
17441.00	88,9	6,4	92,9	19,1	2,8	black	200	-	
17442.00	101,6	6,4	105,6	19,1	2,8	black	100	-	

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Cover plugs

Application: for drill holes
Material: polyethylene
Standard-Colour: black, white

B



Order No.	Head Ø	Shaft Ø	Height	Colour	PU*	MOQ**
	D	d	L			
12227.00	10,0	2,5	5,0	black	5000	5000
12227.01	10,0	2,5	5,0	white	5000	5000
12228.00	12,0	2,5	5,0	black	5000	5000
12228.02	12,0	2,5	5,0	white	5000	5000
12229.00	15,0	2,5	5,0	black	5000	5000
12229.01	15,0	2,5	5,0	white	5000	5000
12230.00	5,8	2,8	7,0	black	5000	5000
12230.01	5,8	2,8	7,0	white	5000	5000
12231.00	11,0	2,8	4,8	black	5000	5000
12231.01	11,0	2,8	4,8	white	5000	5000
12232.00	12,0	3,0	6,0	black	5000	5000
12232.02	12,0	3,0	6,0	white	5000	5000
12233.00	15,0	3,0	6,0	black	5000	5000
12233.01	15,0	3,0	6,0	white	5000	5000
12234.00	18,0	3,0	7,0	black	5000	5000
12234.01	18,0	3,0	7,0	white	5000	5000
12235.00	6,4	4,0	5,3	black	5000	5000
12235.02	6,4	4,0	5,3	white	5000	5000
12236.00	8,0	4,0	3,0	black	5000	5000
12236.02	8,0	4,0	3,0	white	5000	5000
12237.00	10,0	4,0	5,3	black	5000	5000
12237.01	10,0	4,0	5,3	white	5000	5000
12238.00	13,0	4,0	5,3	black	5000	5000
12238.01	13,0	4,0	5,3	white	5000	5000
12239.00	8,0	4,1	7,0	black	5000	5000
12239.01	8,0	4,1	7,0	white	5000	5000
12240.00	6,6	5,0	5,5	black	5000	5000
12240.02	6,6	5,0	5,5	white	5000	5000
12241.00	8,0	5,0	5,0	black	5000	5000
12241.02	8,0	5,0	5,0	white	5000	5000
12242.00	10,0	5,0	5,5	black	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Cover plugs

Application: for drill holes
Material: polyethylene
Standard-Colour: black, white

B



Order No.	Head Ø	Shaft Ø	Height	Colour	PU*	MOQ**
	D	d	L			
12242.02	10,0	5,0	5,5	white	5000	5000
12243.00	13,0	5,0	5,5	black	5000	5000
12243.02	13,0	5,0	5,5	white	5000	5000
12244.00	15,0	5,0	5,5	black	5000	5000
12244.02	15,0	5,0	5,5	white	5000	5000
12245.00	20,0	5,0	7,5	black	5000	5000
12245.01	20,0	5,0	7,5	white	5000	5000
12246.00	8,0	5,0	5,5	black	5000	5000
12246.01	8,0	5,0	5,5	white	5000	5000
12247.00	13,0	5,0	4,0	black	5000	5000
12247.02	13,0	5,0	4,0	white	5000	5000
12248.00	13,0	5,2	7,0	black	5000	5000
12248.02	13,0	5,2	7,0	white	5000	5000
12249.00	8,0	5,4	7,4	black	5000	5000
12249.01	8,0	5,4	7,4	white	5000	5000
12250.00	10,0	5,4	7,4	black	5000	5000
12250.02	10,0	5,4	7,4	white	5000	5000
12251.00	13,0	5,4	7,4	black	5000	5000
12251.02	13,0	5,4	7,4	white	5000	5000
12252.00	15,0	5,4	7,4	black	5000	5000
12252.01	15,0	5,4	7,4	white	5000	5000
12253.00	8,0	5,5	5,8	black	5000	5000
12253.02	8,0	5,5	5,8	white	5000	5000
12254.00	10,0	5,5	5,6	black	5000	5000
12254.01	10,0	5,5	5,6	white	5000	5000
12255.00	12,0	5,5	5,6	black	5000	5000
12255.02	12,0	5,5	5,6	white	5000	5000
12256.00	8,0	6,0	5,4	black	5000	5000
12256.02	8,0	6,0	5,4	white	5000	5000
12257.00	10,0	6,0	5,4	black	5000	5000
12257.02	10,0	6,0	5,4	white	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Cover plugs

Application: for drill holes
Material: polyethylene
Standard-Colour: black, white

B



Order No.	Head Ø D	Shaft Ø d	Height L	Colour	PU*	MOQ**
12258.00	13,0	6,0	5,4	black	5000	5000
12258.02	13,0	6,0	5,4	white	5000	5000
12259.00	15,0	6,0	5,4	black	5000	5000
12259.01	15,0	6,0	5,4	white	5000	5000
12260.00	15,0	6,6	7,0	black	5000	5000
12260.01	15,0	6,6	7,0	white	5000	5000
12261.00	13,0	6,6	7,0	black	5000	5000
12261.02	13,0	6,6	7,0	white	5000	5000
12262.00	10,0	7,0	6,5	black	5000	5000
12262.02	10,0	7,0	6,5	white	5000	5000
12263.00	13,0	7,0	6,5	black	5000	5000
12263.01	13,0	7,0	6,5	white	5000	5000
12264.00	15,0	7,0	6,5	black	5000	5000
12264.01	15,0	7,0	6,5	white	5000	5000
12265.00	16,0	7,0	6,5	black	5000	5000
12265.01	16,0	7,0	6,5	white	5000	5000
12266.00	20,0	7,0	7,5	black	5000	5000
12266.02	20,0	7,0	7,5	white	5000	5000
12267.00	10,0	7,0	3,9	black	5000	5000
12267.01	10,0	7,0	3,9	white	5000	5000
12268.00	10,0	7,2	2,0	black	5000	5000
12268.01	10,0	7,2	2,0	white	5000	5000
12269.00	13,0	7,9	6,0	black	5000	5000
12269.01	13,0	7,9	6,0	white	5000	5000
12270.00	10,0	8,0	6,3	black	5000	5000
12270.03	10,0	8,0	6,3	white	5000	5000
12271.00	13,0	8,0	6,3	black	5000	5000
12271.02	13,0	8,0	6,3	white	5000	5000
12272.00	15,0	8,0	6,3	black	5000	5000
12272.02	15,0	8,0	6,3	white	5000	5000
12273.00	16,0	8,0	6,3	black	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Cover plugs

Application: for drill holes
Material: polyethylene
Standard-Colour: black, white

B



Order No.	Head Ø	Shaft Ø	Height	Colour	PU*	MOQ**
	D	d	L			
12273.02	16,0	8,0	6,3	white	5000	5000
12274.00	17,0	8,0	6,3	black	5000	5000
12274.01	17,0	8,0	6,3	white	5000	5000
12275.00	13,0	8,5	6,9	black	5000	5000
12275.02	13,0	8,5	6,9	white	5000	5000
12276.00				black	5000	5000
12276.02	15,0	8,5	6,9	white	5000	5000
12277.00	16,0	8,5	6,9	black	5000	5000
12277.01	16,0	8,5	6,9	white	5000	5000
12278.00	12,0	9,0	6,4	black	5000	5000
12278.02	12,0	9,0	6,4	white	5000	5000
12279.00	13,0	9,0	6,4	black	5000	5000
12279.02	13,0	9,0	6,4	white	5000	5000
12280.00	15,0	9,0	6,4	black	5000	5000
12280.02	15,0	9,0	6,4	white	5000	5000
12281.00	16,0	9,0	6,4	black	5000	5000
12281.01	16,0	9,0	6,4	white	5000	5000
12282.00	12,0	10,0	6,7	black	5000	5000
12282.02	12,0	10,0	6,7	white	5000	5000
12283.00	13,0	10,0	6,7	black	5000	5000
12283.03	13,0	10,0	6,7	white	5000	5000
12284.00	15,0	10,0	6,7	black	5000	5000
12284.02	15,0	10,0	6,7	white	5000	5000
12285.00	16,0	10,0	6,7	black	5000	5000
12285.02	16,0	10,0	6,7	white	5000	5000
12286.00	13,0	10,0	3,0	black	5000	5000
12286.02	13,0	10,0	3,0	white	5000	5000
12287.00	13,0	10,5	4,0	black	5000	5000
12287.02	13,0	10,5	4,0	white	5000	5000
12288.02	13,0	11,0	5,0	white	5000	5000
12288.00	13,0	11,0	5,0	black	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Cover plugs

Application: for drill holes
Material: polyethylene
Standard-Colour: black, white

B



Order No.	Head Ø D	Shaft Ø d	Height L	Colour	PU*	MOQ**
12289.00	15,0	11,0	5,0	black	5000	5000
12289.02	15,0	11,0	5,0	white	5000	5000
12290.00	16,0	11,0	5,0	black	5000	5000
12290.02	16,0	11,0	5,0	white	5000	5000
12291.00	15,0	12,0	8,4	black	5000	5000
12291.03	15,0	12,0	8,4	white	5000	5000
12292.00	18,0	12,0	8,4	black	5000	5000
12292.02	18,0	12,0	8,4	white	5000	5000
12293.00	15,0	12,0	11,6	black	5000	5000
12293.01	15,0	12,0	11,6	white	5000	5000
12294.00	16,0	13,0	8,5	black	5000	5000
12294.03	16,0	13,0	8,5	white	5000	5000
12295.00	17,0	13,0	8,5	black	5000	5000
12295.02	17,0	13,0	8,5	white	5000	5000
12296.00	18,0	14,0	7,0	black	5000	5000
12296.02	18,0	14,0	7,0	white	5000	5000
12297.00	17,0	15,0	9,0	black	5000	5000
12297.02	17,0	15,0	9,0	white	5000	5000
12298.00	18,0	15,0	1,4	black	5000	5000
12298.01	18,0	15,0	1,4	white	5000	5000
12299.00	19,0	15,0	9,0	black	5000	5000
12299.02	19,0	15,0	9,0	white	5000	5000
12300.00	20,0	15,0	4,0	black	5000	5000
12300.02	20,0	15,0	4,0	white	5000	5000
12301.00	17,0	15,0	3,0	black	5000	5000
12301.01	17,0	15,0	3,0	white	5000	5000
12302.00	19,0	15,0	3,0	black	5000	5000
12302.01	19,0	15,0	3,0	white	5000	5000
12303.00	20,0	15,0	3,0	black	5000	5000
12303.01	20,0	15,0	3,0	white	5000	5000
12304.00	19,0	15,5	4,5	black	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Cover plugs

Application: for drill holes
Material: polyethylene
Standard-Colour: black, white

B



Order No.	Head Ø	Shaft Ø	Height	Colour	PU*	MOQ**
	D	d	L			
12304.02	19,0	15,5	4,5	white	5000	5000
12305.00	24,5	17,0	6,0	black	5000	5000
12305.02	24,5	17,0	6,0	white	5000	5000
12306.00	28,0	18,3	6,0	black	5000	5000
12306.01	28,0	18,3	6,0	white	5000	5000
12307.00	23,0	20,0	10,0	black	5000	5000
12307.02	23,0	20,0	10,0	white	5000	5000
12308.00	23,0	20,0	3,0	black	5000	5000
12308.01	23,0	20,0	3,0	white	5000	5000
12309.01	28,0	20,4	4,8	white	5000	5000
12310.00	28,0	20,8	4,8	black	5000	5000
12310.01	28,0	20,8	4,8	white	5000	5000
12311.00	30,0	25,0	5,0	black	5000	5000
12311.02	30,0	25,0	5,0	white	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Blind plugs (removable)

BST

Application: for drill holes
 Additional Info: removable, reusable, flat, dull head, UL and CSA approved, Flammability UL 94 V-2
 Material: polyamide
 Standard-Colour: black



Order No.	Mounting hole \varnothing	Head \varnothing	Total height	Head height	Colour	PU*	MOQ**
		A	B	C			
17506.00	6,4	10,7	8,3	1,6	black	5000	-
12399.00	12,4	14,7	10,2	1,5	black	4000	4000
12400.00	34,2	38,1	11,7	1,8	black	200	800
17507.00	7,9	14,6	10,3	1,6	black	8000	-
17508.00	9,5	14,7	10,3	1,6	black	1000	-
17509.00	11,1	15,5	10,3	1,6	black	1000	1000
17510.00	14,3	18,6	10,3	1,6	black	2000	-
17511.00	15,9	20,2	10,3	1,6	black	500	-
17512.00	17,4	22,6	10,3	1,6	black	2000	-
17513.00	19,1	24,6	10,3	1,6	black	7500	-
17514.00	20,6	26,2	10,3	1,6	black	500	-
17515.00	22,2	27,4	10,3	1,6	black	2000	-
17516.00	25,4	30,9	10,3	1,6	black	1000	-
17517.00	27,8	32,9	10,3	1,6	black	1000	-
17518.00	30,1	35,7	10,3	1,6	black	5000	-
17519.00	31,8	36,9	10,3	1,6	black	5000	-
17520.00	34,9	40,1	11,5	1,6	black	1500	-
17521.00	38,1	43,6	11,5	1,6	black	1000	-

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Inserts for ventilation

EST

Application: inserts for ventilation
 Additional Info: not removable, UL and CSA approved,
 Flammability UL 94 V-2
 Material: polyamide
 Standard-Colour: black



Order No.	Mounting hole Ø	Max. wall thickness	Number of holes	Vent hole Ø	Head Ø	Total height	Head height	Colour	PU*	MOQ**
					A	B	C			
17453.00	12,7	3,2	4	2,4	14,7	10,3	1,6	black	12000	12000
17457.00	15,8	3,2	5	2,4	18,7	10,3	1,6	black	500	500
17461.00	19,0	3,2	8	2,4	23,0	10,3	1,6	black	8500	8500
17465.00	22,2	3,2	9	2,4	25,8	11,5	1,6	black	1000	1000
17481.00	25,4	3,2	9	3,2	30,6	11,5	1,6	black	2000	2000
17486.00	31,8	3,2	10	3,2	34,9	11,5	1,6	black	500	500
17488.00	34,9	3,2	11	3,2	38,1	11,5	1,6	black	100	100
17490.00	38,1	3,2	13	3,2	42,4	11,5	1,6	black	100	100
17492.00	44,5	3,2	13	3,2	48,4	11,5	1,6	black	100	100
17494.00	50,8	3,2	19	3,2	54,4	11,9	2,0	black	200	200

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Miniature cover plugs

Application: for drill holes
 Additional Info: not removable, UL and CSA approved,
 Flammability UL 94 V-2
 Material: polyamide
 Standard-Colour: black

MAS



Order No.	Mounting hole \varnothing	Max. wall thickness	Head \varnothing			Colour	PU*	MOQ**
			A	B	C			
17414.00	5,5	1,6	7,1	6,4	1,6	black	2000	-
17415.00	7,1	1,6	8,7	6,4	1,6	black	10000	-
17421.00	7,9	1,6	9,5	6,4	1,6	black	10000	-
17416.00	8,7	1,6	10,3	6,4	1,6	black	1000	-
17417.00	10,3	1,6	11,9	6,4	1,6	black	2000	-
17418.00	11,9	1,6	13,5	6,4	1,6	black	12000	-
17419.00	13,5	1,6	15,1	6,4	1,6	black	10000	-
17420.00	15,1	1,6	17,5	6,4	1,6	black	15000	-
17425.00	15,9	1,6	18,3	6,4	1,6	black	2000	-
17426.00	19,0	1,6	21,4	6,4	1,6	black	10000	-
17427.00	19,8	1,6	22,6	6,4	1,6	black	2000	-
17428.00	22,2	1,6	24,6	6,4	1,6	black	5000	-

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Universal cover caps

Application: for drill holes
Material: polyoxymethylene
Standard-Colour: black

UAK



Order No.	Mounting hole \varnothing	Max. wall thickness	Head \varnothing	Total height	Head height	Colour	PU*	MOQ**
			A	B	C			
17564.00	9,5-11,0	0,8-3,2	16,0	12,6	1,6	black	5000	5000
17565.00	12,7-14,3	0,8-3,2	18,5	12,0	1,6	black	5000	5000
17563.00	18,4-20,6	0,8-3,2	25,0	12,0	1,6	black	2000	2000
17561.00	35,0-38,0	0,8-3,2	43,0	13,2	1,6	black	3000	3000
17562.00	45,0-47,5	0,8-3,2	52,0	13,2	1,6	black	1000	1000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Caps for hexagon screws

BI

Application: for screws and screw nuts
Material: polyethylene
Standard-Colour: black, white



Order No.	Type	Head Ø	Shaft Ø	Wrench size across flats	Shaft length	Colour	PU*	MOQ**
		D	d	SW	L			
12315.00	G	12,0	3,1	3,0	2,2	black	5000	5000
12315.01	G	12,0	3,1	3,0	2,2	white	5000	5000
12316.00	G	12,0	3,1	3,0	2,0	black	5000	5000
12316.01	G	12,0	3,1	3,0	2,0	white	5000	5000
12317.00	G	9,0	3,2	3,0	2,2	black	5000	5000
12317.01	G	9,0	3,2	3,0	2,2	white	5000	5000
12318.00	F	10,0	4,2	4,0	2,9	black	5000	5000
12318.01	F	10,0	4,2	4,0	2,9	white	5000	5000
12327.00	F	10,0	4,2	4,0	3,0	black	5000	5000
12327.01	F	10,0	4,2	4,0	3,0	white	5000	5000
12320.00	G	13,0	4,2	4,0	2,9	black	5000	5000
12320.01	G	13,0	4,2	4,0	2,9	white	5000	5000
12328.00	G	13,0	4,2	4,0	3,0	black	5000	5000
12328.02	G	13,0	4,2	4,0	3,0	white	5000	5000
12321.00	G	14,5	4,2	4,0	2,4	black	5000	5000
12321.01	G	14,5	4,2	4,0	2,4	white	5000	5000
12330.00	G	14,5	4,2	4,0	3,0	black	5000	5000
12330.01	G	14,5	4,2	4,0	3,0	white	5000	5000
12323.00	F	18,0	4,2	4,0	2,9	black	5000	5000
12323.01	F	18,0	4,2	4,0	2,9	white	5000	5000
12324.00	F	18,0	4,4	4,0	5,0	black	5000	5000
12324.01	F	18,0	4,4	4,0	5,0	white	5000	5000
12329.00	F	18,0	4,2	4,0	2,9	black	5000	5000
12329.01	F	18,0	4,2	4,0	2,9	white	5000	5000
12331.00	G	18,0	4,2	4,0	5,0	black	5000	5000
12331.01	G	18,0	4,2	4,0	5,0	white	5000	5000
12325.00	F	18,0	4,3	4,0	3,5	black	5000	5000
12325.01	F	18,0	4,3	4,0	3,5	white	5000	5000
12319.00	G	12,5	4,4	4,0	2,0	black	5000	5000
12322.00	G	14,5	4,4	4,0	2,4	black	5000	5000
12322.01	G	14,5	4,4	4,0	2,4	white	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Caps for hexagon screws

BI

Application: for screws and screw nuts
Material: polyethylene
Standard-Colour: black, white



Order No.	Type	Head Ø	Shaft Ø	Wrench size across flats	Shaft length	Colour	PU*	MOQ**
		D	d	SW	L			
12332.00	G	14,5	4,4	4,0	3,0	black	5000	5000
12332.01	G	14,5	4,4	4,0	3,0	white	5000	5000
12326.00	F	18,0	4,4	4,0	5,5	black	5000	5000
12326.01	F	18,0	4,4	4,0	5,5	white	5000	5000
12333.01	G	10,0	5,3	5,0	2,7	white	5000	5000
12336.00	G	10,0	5,3	5,0	2,6	black	5000	5000
12336.01	G	10,0	5,3	5,0	2,6	white	5000	5000
12334.00	G	11,5	5,3	5,0	2,7	black	5000	5000
12334.01	G	11,5	5,3	5,0	2,7	white	5000	5000
12337.00	G	11,5	5,3	5,0	2,6	black	5000	5000
12337.01	G	11,5	5,3	5,0	2,6	white	5000	5000
12335.00	F	18,0	5,3	5,0	4,0	black	5000	5000
12335.01	F	18,0	5,3	5,0	4,0	white	5000	5000
12338.00	G	12,0	6,2	6,0	3,5	black	5000	5000
12338.01	G	12,0	6,2	6,0	3,5	white	5000	5000
12339.00	G	15,0	6,2	6,0	3,5	black	5000	5000
12339.01	G	15,0	6,2	6,0	3,5	white	5000	5000
12340.00	G	18,0	6,2	6,0	6,5	black	5000	5000
12340.01	G	18,0	6,2	6,0	6,5	white	5000	5000
12341.00	G	15,0	8,2	8,0	3,5	black	5000	5000
12341.01	G	15,0	8,2	8,0	3,5	white	5000	5000
12342.00	G	18,0	8,2	8,0	3,5	black	5000	5000
12342.01	G	18,0	8,2	8,0	3,5	white	5000	5000
12343.00	G	21,0	8,2	8,0	3,5	black	5000	5000
12343.01	G	21,0	8,2	8,0	3,5	white	5000	5000
12312.00	G	15,0	10,5	10,0	3,5	black	5000	5000
12312.01	G	15,0	10,5	10,0	3,5	white	5000	5000
12313.00	G	18,0	10,5	10,0	3,5	black	5000	5000
12313.01	G	18,0	10,5	10,0	3,5	white	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Hexagon protection caps

BK

Application: for screws and screw nuts
Material: polyethylene
Standard-Colour: black, white, grey



Order No.	Thread	Total height	Hexagon depth	Wrench size across flats	Outside Ø	10000	Colour	PU*	MOQ**
		A	C	SW	D				
13623.00	M 4	9,4	6,3	7,0	10,7		black	10000	10000
13623.01	M 4	9,4	6,3	7,0	10,7		grey	10000	10000
13623.02	M 4	9,4	6,3	7,0	10,7		white	10000	10000
13624.00	M 5	9,5	5,9	8,0	10,6		black	10000	-
13624.01	M 5	9,5	5,9	8,0	10,6		grey	10000	10000
13624.02	M 5	9,5	5,9	8,0	10,6		white	10000	10000
13625.00	M 6	12,5	5,7	9,8	12,8		black	10000	-
13625.01	M 6	12,5	5,7	9,8	12,8		grey	10000	-
13625.02	M 6	12,5	5,7	9,8	12,8		white	10000	-
13626.00	M 8	16,5	8,4	13,0	16,6		black	10000	-
13626.02	M 8	16,5	8,4	13,0	16,6		grey	10000	-
13626.03	M 8	16,5	8,4	13,0	16,6		white	10000	-
13627.00	M10	19,5		16,0			black	100	-
13628.00	M 10	18,8	9,4	16,7	20,9		black	5000	-
13628.02	M 10	18,8	9,4	16,7	20,9		grey	5000	-
13628.03	M 10	18,8	9,4	16,7	20,9		white	5000	-
13630.00	M 12	21,2	11,8	18,8	24		black	5000	-
13630.01	M 12	21,2	11,8	18,8	24		grey	5000	-
13630.02	M 12	21,2	11,8	18,8	24		white	5000	-
13631.00	M 14	26,7	14,0	21,0	27,1		black	2500	2500
13631.01	M 14	26,7	14,0	21,0	27,1		grey	2500	2500
13631.02	M 14	26,7	14,0	21,0	27,1		white	2500	2500
13632.00	M 16	26,9	13,7	23,9	29,4		black	3000	-
13632.01	M 16	26,9	13,7	23,9	29,4		grey	3000	3000
13632.02	M 16	26,9	13,7	23,9	29,4		white	3000	3000
13633.00	M 18	30,3	17,4	26,5	33,3		black	100	-
13633.01	M 18	30,3	17,4	26,5	33,3		grey	100	-
13634.00	M 20	36,2	19,2	29,0	37,6		black	1000	2000
13634.01	M 20	36,2	19,2	29,0	37,6		grey	1000	2000
13634.02	M 20	36,2	19,2	29,0	37,6		white	1000	2000
13635.00	M 22	36,0	20,0	31,3	38,9		black	100	-

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.



** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Hexagon protection caps

Application: for screws and screw nuts
Material: polyethylene
Standard-Colour: black, white, grey

BK



Order No.	Thread	Total height	Hexagon depth	Wrench size across flats	Outside Ø	10000	Colour	PU*	MOQ**
		A	C	SW	D				
13635.01	M 22	36,0	20,0	31,3	38,9		grey	100	-
13636.00	M 24	39,3	20,2	36,0	43,9		black	100	-
13637.00	M 27	46,5	24,1	42,0	50,0		black	50	-
13638.00	M 30	52,6	26,8	45,8	56,3		black	250	750
13639.00	M 33	56,2	28,3	48,7	59,5		black	25	-
13640.00	M 36	64,0	32,0	54,1	66,5		black	250	-
13641.00	M 39	61,0	34,6	59,5	72,0		black	25	-
13642.00	M 42	63,1	36,6	64,0	76,6		black	25	-
13643.00	M 45	88,4	34,5	68,4	84,0		black	25	-

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Flat head caps

BKP

Application: for screws and screw nuts
Material: polyethylene
Standard-Colour: black, white



Order No.	Outside Ø D	Inside Ø D1	Height H	Colour	PU*	MOQ**
12164.00	9,0	6,0	3,5	black	5000	5000
12164.01	9,0	6,0	3,5	white	5000	5000
12166.00	9,2	7,0	4,0	black	5000	5000
12166.01	9,2	7,0	4,0	white	5000	5000
12165.00	10,0	6,0	4,0	black	5000	5000
12165.01	10,0	6,0	4,0	white	5000	5000
12167.00	10,5	7,0	5,0	black	5000	5000
12167.01	10,5	7,0	5,0	white	5000	5000
12168.00	12,0	7,0	4,2	black	5000	5000
12168.01	12,0	7,0	4,2	white	5000	5000
12169.00	12,0	8,2	2,5	black	5000	5000
12169.01	12,0	8,2	2,5	white	5000	5000
12170.00	12,0	9,0	2,5	black	5000	5000
12170.01	12,0	9,0	2,5	white	5000	5000
12171.00	12,0	9,0	5,0	black	5000	5000
12171.01	12,0	9,0	5,0	white	5000	5000
12172.00	14,0	9,0	4,7	black	5000	5000
12172.01	14,0	9,0	4,7	white	5000	5000
12153.00	14,0	10,5	3,8	black	5000	5000
12153.01	14,0	10,5	3,8	white	5000	5000
12154.00	14,0	11,0	3,8	black	5000	5000
12154.01	14,0	11,0	3,8	white	5000	5000
12155.00	15,0	11,5	4,0	black	5000	5000
12155.01	15,0	11,5	4,0	white	5000	5000
12157.00	16,0	12,0	5,0	black	5000	5000
12157.01	16,0	12,0	5,0	white	5000	5000
12159.00	16,5	15,0	6,7	black	5000	5000
12159.01	16,5	15,0	6,7	white	5000	5000
12156.00	17,0	11,6	4,0	black	5000	5000
12156.01	17,0	11,6	4,0	white	5000	5000
12158.00	17,0	12,0	3,6	black	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Flat head caps

Application: for screws and screw nuts
Material: polyethylene
Standard-Colour: black, white

BKP



Order No.	Outside \varnothing	Inside \varnothing	Height	Colour	PU*	MOQ**
	D	D1	H			
12158.01	17,0	12,0	3,6	white	5000	5000
12160.00	18,0	15,0	5,3	black	5000	5000
12160.01	18,0	15,0	5,3	white	5000	5000
12161.00	19,0	15,0	5,7	black	5000	5000
12161.01	19,0	15,0	5,7	white	5000	5000
12163.00	25,0	22,0	10,0	black	5000	5000
12163.01	25,0	22,0	10,0	white	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Cover caps for pozidrive cross screws

BS 1

Application: for screws and screw nuts
Material: polyethylene
Standard-Colour: black, white



Order No.	Head Ø	Height	For pozidrive	Colour	PU*	MOQ**
	D	H	size			
12352.01	8,1	1,7	Gr. I	white	5000	5000
12352.00	8,1	1,7	Gr. I	black	5000	5000
12353.01	9,0	1,7	Gr. II	white	5000	5000
12353.00	9,0	1,7	Gr. II	black	5000	5000
12354.01	12,0	1,7	Gr. II	white	5000	5000
12354.00	12,0	1,7	Gr. II	black	5000	5000
12355.01	13,0	2,4	Gr. III	white	5000	5000
12355.00	13,0	2,4	Gr. III	black	5000	5000
12356.01	15,0	2,4	Gr. III	white	5000	5000
12356.00	15,0	2,4	Gr. III	black	5000	5000
12357.01	14,0	2,2	Gr. IV	white	5000	5000
12357.00	14,0	2,2	Gr. IV	black	5000	5000
12358.01	18,1	2,2	Gr. IV	white	5000	10000
12358.00	18,1	2,2	Gr. IV	black	5000	5000
12359.01	18,2	2,2	Gr. V	white	5000	5000
12359.00	18,2	2,2	Gr. V	black	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Cover caps for Phillips cross screws

BS 2

Application: for screws and screw nuts
Material: polyethylene
Standard-Colour: black, white



Order No.	Head Ø	Height	For Phillips	Colour	PU*	MOQ**
	D	H	size			
12360.00	12,0	2,2	Gr. II	black	5000	5000
12360.01	12,0	2,2	Gr. II	white	5000	5000
12361.00	15,0	2,0	Gr. III	black	5000	5000
12361.01	15,0	2,0	Gr. III	white	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Caps for torx screws

Application: for screws and screw nuts
Material: polyethylene
Standard-Colour: black, white

BT



Order No.	Head Ø	Height	Torx	Colour	PU*	MOQ**
	D	H	size			
12344.00	12,0	2,0	10,0	black	5000	5000
12344.01	12,0	2,0	10,0	white	5000	5000
12345.00	12,0	2,0	15,0	black	5000	5000
12345.01	12,0	2,0	15,0	white	5000	5000
12346.00	12,0	2,0	20,0	black	5000	5000
12346.01	12,0	2,0	20,0	white	5000	5000
12347.00	13,5	2,1	25,0	black	5000	5000
12347.01	13,5	2,1	25,0	white	5000	5000
12348.00	15,0	2,0	25,0	black	5000	5000
12348.01	15,0	2,0	25,0	white	5000	5000
12349.00	18,0	2,0	25,0	black	5000	5000
12349.01	18,0	2,0	25,0	white	5000	5000
12350.00	16,5	2,2	30,0	black	5000	5000
12350.01	16,5	2,2	30,0	white	5000	5000
12351.00	18,0	2,0	40,0	black	5000	5000
12351.01	18,0	2,0	40,0	white	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Decorative caps

Application: for screws and screw nuts
Material: polyethylene
Standard-Colour: black, white

BZK



Order No.	Head Ø	Shaft Ø	Height	Colour	PU*	MOQ**
	D	d	L			
12362.00	8,0	2,0	1,5	black	5000	5000
12364.00	12,0	2,6	5,0	black	5000	5000
12364.02	12,0	2,6	5,0	white	5000	5000
12365.00	13,0	2,6	4,0	black	5000	5000
12365.01	13,0	2,6	4,0	white	5000	5000
12367.00	13,0	3,0	4,0	black	5000	5000
12367.01	13,0	3,0	4,0	white	5000	5000
12371.00	13,0	3,2	4,0	black	5000	5000
12371.01	13,0	3,2	4,0	white	5000	5000
12372.00	13,0	3,9	10,0	black	5000	5000
12372.01	13,0	3,9	10,0	white	5000	5000
12375.00	14,0	5,2	10,0	black	5000	5000
12375.01	14,0	5,2	10,0	white	5000	5000
12366.00	15,0	2,6	4,0	black	5000	5000
12366.01	15,0	2,6	4,0	white	5000	5000
12368.00	15,0	3,0	5,0	black	5000	5000
12368.01	15,0	3,0	5,0	white	5000	5000
12373.00	15,8	3,9	8,8	white	5000	5000
12369.00	18,0	3,0	2,0	black	5000	5000
12370.00	18,0	3,0	7,0	black	5000	5000
12370.01	18,0	3,0	7,0	white	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.


** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.

Caps for hexagon screws

SKEC

Application: Caps for hexagon screws
 Additional Info: Attention! Screw is not included in the scope of delivery. Items are UV-stabilised. Please send us your inquiry if you n
 Material: PP + UVA
 Standard-Colour: black, white, blue, yellow, green, red



Order No.	suitable for	Base	Cap	Base	Cap + Base	Cap	Type	Colour	PU*	MOQ**
		D	d1	d2	H	h1				
16021.00	M6 to M8	30,00		8,30	14,00	-	Boden / Base	black	5000	5000
16021.01	M6 to M8	30,00		8,30	14,00	-	Boden / Base	white	5000	5000
16021.02	M6 to M8	30,00		8,30	14,00	-	Boden / Base	yellow	5000	5000
16021.03	M6 to M8	30,00	-	8,30	14,00	-	Boden / Base	red	5000	5000
16021.04	M6 to M8	30,00	-	8,30	14,00	-	Boden / Base	green	5000	5000
16021.05	M6 to M8	30,00	-	8,30	14,00	-	Boden / Base	blue	5000	5000
16022.00	M6 to M8	-	16,50	-	14,00	7,70	Kopf / Cap	black	5000	5000
16022.01	M6 to M8	-	16,50	-	14,00	7,70	Kopf / Cap	white	5000	5000
16022.02	M6 to M8	-	16,50	-	14,00	7,70	Kopf / Cap	yellow	5000	5000
16022.03	M6 to M8	-	16,50	-	14,00	7,70	Kopf / Cap	red	5000	5000
16022.04	M6 to M8	-	16,50	-	14,00	7,70	Kopf / Cap	green	5000	5000
16022.05	M6 to M8	-	16,50	-	14,00	7,70	Kopf / Cap	blue	5000	5000
16023.00	M10 to M12	41,50	-	12,10	19,50	-	Boden / Base	black	5000	5000
16023.01	M10 to M12	41,50	-	12,10	19,50	-	Boden / Base	white	5000	5000
16023.02	M10 to M12	41,50	-	12,10	19,50	-	Boden / Base	yellow	5000	5000
16023.03	M10 to M12	41,50	-	12,10	19,50	-	Boden / Base	red	5000	5000
16023.04	M10 to M12	41,50	-	12,10	19,50	-	Boden / Base	green	5000	5000
16023.05	M10 to M12	41,50	-	12,10	19,50	-	Boden / Base	blue	5000	5000
16024.00	M10 to M12	-	23,50	-	19,50	10,70	Kopf / Cap	black	5000	5000
16024.01	M10 to M12	-	23,50	-	19,50	10,70	Kopf / Cap	white	5000	5000
16024.02	M10 to M12	-	23,50	-	19,50	10,70	Kopf / Cap	yellow	5000	5000
16024.03	M10 to M12	-	23,50	-	19,50	10,70	Kopf / Cap	red	5000	5000
16024.04	M10 to M12	-	23,50	-	19,50	10,70	Kopf / Cap	green	5000	5000
16024.05	M10 to M12	-	23,50	-	19,50	10,70	Kopf / Cap	blue	5000	5000

Please note that the product illustrations are exemplary images that could deviate from the ordered/delivered products.

All of the dimensions are in mm should nothing to the contrary be stated.

*PU = Packaging Unit, SW = Spanner opening, n.w. = not detachable, o. K. = excl. The head, o. B. = excl. The collar, m. R. = with the radius, MOQ = Minimum Order Quantity.

** MOQ: Parts with MOQ, set-up costs may apply.

We exclusively sell to the trade and industry. Please note our minimum order quantities and the minimum order value per delivery. We would be pleased to send you an offer that is tailored to your needs should you require special colours, deviating dimensions, bioplastics, or larger order quantities.